Bentwood Road, Carrs Ind Est, Haslingden, Rossendale, Lancashire, BB4 5HH
Tel: 01706 831808 Fax: 01706 212265
EMAIL: enquiries@regencyfcb.com

### SAFETY DATA SHEET

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 PRODUCT IDENTIFIER

#### FIBRECRAFT PROCION CERULEAN BLUE MX-GN

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Use Pattern: Textile Dye

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

COMPANY NAME REGENCY FCB (UK) LTD

UNIT 4, BENTWOOD ROAD

HASLINGDEN LANCASHIRE BB4 5HH

1.4 EMERGENCY TELEPHONE NUMBER

EMERGENCY INFORMATION Tel: +44(0)1706 831808 (office hours only)

Fax: +44(0)1706 212265

Email: enquiries@regencyfcb.com
INTENDED USE Industrial. For professional use only

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 <u>CLASSIFICATION OF THE SUBSTANCE OR MIXTURE</u>

#### According to regulation (EC) 1272/2008 on classification, labelling and packaging of substances and mixtures

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Classification of the substance or mixture

Eye Irritant (Category 2A): H319

Respiratory Sensitization (Category 1): H334 Skin Sensitization (Category 1): H317

#### 2.2 LABEL ELEMENTS

HAZARD PICTOGRAMS



SIGNAL WORD HAZARD STATEMENTS

Version 3 Compiled on 23-01-2019

DANGER
H319 Causes serious eye irritation.

Bentwood Road, Carrs Ind Est, Haslingden, Rossendale, Lancashire, BB4 5HH
Tel: 01706 831808 Fax: 01706 212265

EMAIL: enquiries@regencyfcb.com

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

PRECAUTIONARY STATEMENTS:

(prevention)

P261 Avoid breathing dust/fume/gas/mist/vapour/spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated clothing should not be allowed out of the

work place.

P280 Wear protective gloves/eye protection/face protection. P285 In case of inadequate ventilation wear respiratory

protection.

PRECAUTIONARY STATEMENTS:

(response)

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P341 IF INHALED: remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P333+P313 If irritation or rashes occur seek medical attention. P342+P311 If eye irritation persists seek medical attention. P342+P311 If experiencing respiratory symptoms, call a Poison

centre or doctor/physician.

PRECAUTIONARY STATEMENTS:

(Storage)

P363 Wash contaminated clothes before re-use.

PRECAUTIONARY STATEMENTS: P501 Disp

(Disposal)

P501 Dispose of contents/containers to waste treatment in

accordance with national regulations.

#### 2.3 OTHER HAZARDS

If applicable in this section are given hazards which are not part of the overall classification but can contribute to the hazards which may be associated with the substance or mixture.

Not applicable.

#### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

#### **Chemical characterization**

Reactive dyestuff, dust free preparation.

Hazardous Ingredients (GHS) according Regulations (EC) 1271/2008

HAZARDOUS	%	EC Number	CAS	CLASSIFICATION	
SUBSTANCE	PRESENT				
REACTIVE BLUE 163	80-90%		72847-56-4	Eye Irrit. 2A	H334
				Resp. Sens. 1	H319
					H334

Bentwood Road, Carrs Ind Est, Haslingden, Rossendale, Lancashire, BB4 5HH
Tel: 01706 831808 FAX: 01706 212265
EMAIL: enquiries@regencyfcb.com

### **SECTION 4: FIRST AID MEASURES**

4.1 DESCRIPTION OF FIRST AID MEASURES

GENERAL INFORMATION Take off immediately all contaminated clothing.

INGESTION If the product is swallowed, the patient must at once drink

plenty of water repeatedly, if possible with the addition of activated carbon. If the patient feels unwell, seek medical

advice.

INHALATION Upon in inhalation of aerosol/vapour/dust take the patient into

fresh air. If there is difficulty in breathing seek medical advice.

EYE CONTACT

Contamination of the eyes must be treated by thorough

irrigation with water, with the eyelids held open. Eventually a

doctor or eye specialist should be consulted.

SKIN CONTACT Cleansing with plenty of water, soap or other non-irritating

cleansing agent.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Please see hazard statement in 2.2 if given and information in this section if stated.

#### 4.3 <u>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED</u>

Please see precautionary statement in 2.2, as well as first aid information in this section if stated.

#### **SECTION 5: FIRE FIGHTING MEASURES**

#### 5.1 <u>EXTINGUISHING MEDIA</u>

Suitable extinguishing media: Water spray, foam, dry powder.

Extinguishing media that must not be used for safety reasons: Carbon Dioxide.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

None determined.

#### 5.3 ADVICE FOR FIREFIGHTERS

Special protective equipment for firefighting: Firemen must wear self-contained breathing apparatus.

Further information: Fire residues and contaminated firefighting water must be disposed of in accordance with local regulations.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal precautions: Avoid formation and disposition of dust.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Environmental precautions: Do not empty into drains or waters.

#### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Version 3 Compiled on 23-01-2019 FIBRE

Bentwood Road, Carrs Ind Est, Haslingden, Rossendale, Lancashire, BB4 5HH
Tel: 01706 831808 Fax: 01706 212265
EMAIL: enquiries@regencyfcb.com

Methods for cleaning or take up: Take up spilled product with dust-binding materials or suitable vacuum cleaner. Place into labelled, sealable containers.

### 6.4 REFERENCE TO OTHER SECTIONS

Additional information: For further disposal measures see chapter 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 HANDLING

Advice on safe handling: Avoid formation and disposition of dust. Keep container tightly closed and dry. Advice on protection against fire and explosion: Observe the usual precautionary measures required for chemicals with dust explosive properties. Observe national regulations.

#### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Requirements for storage rooms and vessels: Store in original containers in a cool, dry place. In filling operations take precautionary measures against static discharge.

Storage stability: Storage period: 12 months

#### 7.3 SPECIFIC END USES

Not determined.

#### **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### 8.1 Specific end uses:

Ingredients with occupational exposure limits to be monitored: Not applicable

#### 8.2 EXPOSURE CONTROLS

General protective measures: Do not breathe dust. Avoid contact with skin. Take off immediately contaminated clothing.

Inhalation of dust and aerosols must be prevented by either adequate ventilation or by suitable mask.

People with chronic respiratory problems should not work with reactive dyestuff powders.

If symptoms such as tightness in the chest or asthma occur while handling reactive dyestuff powders,

Then a physician should be consulted as soon as possible. If hypersensitivity is confirmed, all contact with reactive dyestuff powders must cease immediately.

Hygiene measures: Keep away from food and drink.

Do not eat, drink or smoke at work.

Wash hands before

Break and at end of work and use skin protecting ointments.

RESPIRATORY PROTECTION:

HAND PROTECTION

EYE PROTECTION SKIN PROTECTION

Version 3

Half mask with combination filter ABEK-P3

Wear suitable gloves e.g. PVC or nitrile rubber. In the event of contamination, change protective gloves immediately.

Safety glasses with side protection shield.

Wear protective clothing.

Compiled on 23-01-2019

Bentwood Road, Carrs Ind Est, Haslingden, Rossendale, Lancashire, BB4 5HH
Tel: 01706 831808 FAX: 01706 212265
EMAIL: enquiries@regencyfcb.com

Not determined

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

FORM Powder COLOUR Blue

pH Approx. 6-7 (10g/l)

ODOUR Odourless
MELTING POINT > 260 C

**BOILING POINT** Not determined FLASH POINT Not applicable Not determined IGNITION TEMPERATURE **FLAMMABILTY** Not determined LOWER EXPLOSION LIMIT Not determined **UPPER EXPLOSION LIMIT** Not determined VAPOUR PRESSURE Not determined DENSITY Not determined **SOLUBILTY IN WATER** >30 g/l (20C)VISCOSITY(dynamic) Not determined VISCOSITY(kinematic) Not determined

#### 9.2 OTHER INFORMATION

VISCOSITY (flow time)

COMBUSTION NUMBER Not determined
DUST EXPLOSION CLASS Not determined

BULK DENSITY Approx. 400-600 kg/m3

Further information (phys-chem) not necessary

#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1 REACTIVITY

No hazardous reactions when stored and handled according to prescribed instructions.

#### 10.2 CHEMICAL STABILITY

Thermal decomposition: > 180 C, no thermal decomposition when stored and handled correctly.

#### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

In the case of dusty organic products, the possibility of a dust explosion should always be considered.

#### 10.4 <u>CONDITIONS TO AVOID</u>

For avoidable conditions: Not necessary.

#### 10.5 INCOMPATIBLE MATERIALS

For avoidable materials: Not necessary.

#### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Version 3 Compiled on 23-01-2019

Bentwood Road, Carrs Ind Est, Haslingden, Rossendale, Lancashire, BB4 5HH TEL: 01706 831808 FAX: 01706 212265

EMAIL: enquiries@regencyfcb.com

Not applicable

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

LD50 > 2000mg.kg (rat) Acute oral toxicity:

Not determined. Acute inhalation toxicity:

LD50 > 2.000mg/kg (rat) Acute dermal toxicity:

Irritant effect on eyes: Irritant Irritant effect on skin: Non-irritant

This dye belongs to the class - reactive dyes. A sensitizing Sensitization:

Effect on the respiratory tract has been noted with some

Representatives of this substance class. No reports of ill effects

Provided product was correctly handled and processed.

Repeat dose toxicity: Not determined.

Mutagenicity: No indication of mutagenic effects

Teratogenicity: Not necessary. Carcinogenicity: Not determined.

Remarks: High dust concentrations may result in irritation of the mucous membranes (eyes or respiratory tract) repeated exposure to high dust concentrations of some dyestuff powders containing reactive dyestuff has very

Sporadically caused respiratory hypersensitivity.

### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1 **TOXICITY**

Fish toxicity: LC50 >100 mg/l (48 h, Leuciscus idus)

Daphnia toxicity: Not determined. Algae toxicity: Not determined Bacteria toxicity: Not determined.

#### 12.2 PERSISTENCE AND DEGRADABILITY

Physico-chemical eliminability: Not determined. Biodegradability: Not determined

Not determined. Not determined.

Behaviour in environmental compartments: Dissolved Organic Carbon (DOC): Not determined. Chemical Oxygen Demand (COD): Not determined. Biochemical Oxygen Demand (BOD5): Not determined.

Remarks:

Product does not add to the AOX value of the Sewage

(DIN EN 1485)

Product does not contain heavy metals of a level of

concern to waste water.

#### 12.3 **BIOACCUMULATIVE POTENTIAL**

Not determined.

#### 12.4 MOBILITY IN SOIL

Compiled on 23-01-2019

Bentwood Road, Carrs Ind Est, Haslingden, Rossendale, Lancashire, BB4 5HH
Tel: 01706 831808 FAX: 01706 212265
EMAIL: enquiries@regencyfcb.com

Not determined.

#### 12.5 RESULTS OF PBT AND vPvB ASSESSMENT

Not determined.

#### 12.6 OTHER ADVERSE EFFECTS

Not determined.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 WASTE TREATMENT METHOD

Product: If utilisation or recycling of the product is not possible, it should be disposed of according to the local Regulations and laws, e.g. by incineration in a suitable plant.

European Waste Catalogue (EWC) code: 040216 Dyestuffs and pigments containing dangerous substances.

Unclean packaging: Soiled, empty containers are to be treated in the same way as the contents.

#### **SECTION 14: TRANSPORT INFORMATION**

	TRANSPORT CLASS	Classified as non-dangerous goods for transport.
14.1	<u>UN NUMBER</u>	See above entry at the respective regulation.
14.2	PROPER SHIPPING NAME	See above entry at the respective regulation.
14.3	TRANSPORT HAZARD CLASS(ES)	See above entry at the respective regulation.
14.4	PACKING GROUP	See above entry at the respective regulation.
14.5	ENVIRONMETAL HAZARDS	See above entry at the respective regulation.
14.6	SPECIAL PRECAUTIONS FOR USER	Protect from wetness. Keep separate from foodstuffs.
14.7	TRANSPORT IN BULK ACCORDING TO AMEX 11 OF MARPOL 73/78 AND THE IBC CODE	No transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code foreseen for this substance or mixture.

### **SECTION 15: REGULATORY INFORMATION**

15.1 <u>SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE</u> OR MIXTURE

SPECIFIC REGULATIONS

No labelling is required in accordance with EEC directives.

15.2 <u>CHEMICAL SAFETY ASSESSMENT</u> Not determined.

#### **SECTION 16: OTHER INFORMATION**

Version 3 Compiled on 23-01-2019

Bentwood Road, Carrs Ind Est, Haslingden, Rossendale, Lancashire, BB4 5HH
Tel: 01706 831808 FAX: 01706 212265
EMAIL: enquiries@regencyfcb.com

Text of all short cuts referred to in sections 2 and 3:

Eye Irrit. Eye irritant.

H317 May causes an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties in inhaled.

Resp. Sens. 1B Respiratory or skin sensitisation: Respiratory Sensitisation Cat. 1B

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal requirements. The information contained herein is accurate to the best of our knowledge and belief and is intended to describe our products from a point of view of health and safety requirements. It should not, therefore, be construed as guaranteeing specific properties. This company shall not be held liable for any damage resulting from handling or from contact with the above product