

 SCREEN STRIP 1.30 Code: 2360SCST20	
---	---

Version: 14 Revision: 06/06/2017 Previous revision: 30/05/2015 Date of printing: 13/06/2017

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING


1.1	<u>PRODUCT IDENTIFIER:</u>	SCREEN STRIP 1.30 Code: 2360SCST20
1.2	<u>RELEVANT IDENTIFIED USES AND USES ADVISED AGAINST:</u> <u>Intended uses (main technical functions):</u> Reclaimer screen printing emulsion.	<input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Professional <input type="checkbox"/> Consumers <u>Uses advised against:</u> * This product is not recommended for any use or sector of use (industrial, professional or consume) other than those previously listed as 'Intended or identified uses'. <u>Restrictions on manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006:</u> Not restricted.
1.3	<u>DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:</u> KOPIMASK, S.A. c/Industria 28 - P.I. Can Cortés - E-08184 - Palau-Solità i Plegamans (Barcelona) Phone: +34 93 8639350 - Fax: +34 93 8649434 <u>E-mail address of the person responsible for the safety data sheet:</u> e-mail: msds@kopimask.es	
1.4	<u>EMERGENCY TELEPHONE NUMBER:</u> +34 93 8639350 (8:00-13:30 / 15:00-18:00 h.) (working hours)	

SECTION 2 : HAZARDS IDENTIFICATION

2.1	<u>CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:</u> * Classification in accordance with Regulation (EU) No. 1272/2008~1221/2015 (CLP): WARNING: Skin Irrit. 2:H315 Eye Irrit. 2:H319					
	Danger class	Classification of the mixture	Cat.	Routes of exposure	Target organs	Effects
	<u>Physicochemical:</u> Not classified	Skin Irrit. 2:H315 Eye Irrit. 2:H319	Cat.2 Cat.2	Skin Eyes	Skin Eyes	Irritation Irritation
	<u>Human health:</u> 					
	<u>Environment:</u> Not classified					

Full text of hazard statements mentioned is indicated in section 16.




Note: When in section 3 a range of percentages is used, the health and environmental hazards describe the effects of the highest concentration of each component, but below the maximum value.

2.2	<u>LABEL ELEMENTS:</u>  * This product is labelled with the signal word WARNING in accordance with Regulation (EU) No. 1272/2008~1221/2015 (CLP)					
	<u>Hazard statements:</u> H319 Causes serious eye irritation. H315 Causes skin irritation.					
	<u>Precautionary statements:</u> P337+P313 If eye irritation persists: Get medical attention. P280B Wear protective gloves and eye protection . P303+P361+P353-P352-P312 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Call a POISON CENTER or doctor if you feel unwell. P305+P351+P338-P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.					
	<u>Supplementary statements:</u> None.					
	<u>Substances that contribute to classification:</u> Sodium periodate					








2.3	<u>OTHER HAZARDS:</u> Hazards which do not result in classification but which may contribute to the overall hazards of the mixture: <u>Other physicochemical hazards:</u> No other relevant adverse effects are known. <u>Other adverse human health effects:</u> No other relevant adverse effects are known. <u>Other negative environmental effects:</u> * Does not contain substances that fulfil the PBT/vPvB criteria.					
-----	--	--	--	--	--	--

	SCREEN STRIP 1.30 Code: 2360SCST20	
--	--	---

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.1	<u>SUBSTANCES:</u> Not applicable (mixture).				
3.2	<u>MIXTURES:</u> This product is a mixture. <u>Chemical description:</u> Solution of sodium periodate in aqueous media. <u>HAZARDOUS INGREDIENTS:</u> Substances taking part in a percentage higher than the exemption limit: <table style="width:100%; border: none;"> <tr> <td style="width: 10%; vertical-align: top;">  </td> <td style="padding: 2px;"> 5 < 10 % Sodium periodate CAS: 7790-28-5 , EC: 232-197-6 CLP: Danger: Ox. Sol. 1:H271 Skin Corr. 1C:H314 Eye Dam. 1:H318 STOT RE 1:H372 Aquatic Acute 1:H400 </td> <td style="width: 30%; padding: 2px; text-align: right;"> REACH: 01-2119980983-20 </td> <td style="width: 20%; padding: 2px; text-align: right;"> Autoclassified < REACH </td> </tr> </table> <u>Impurities:</u> Does not contain other components or impurities which will influence the classification of the product. <u>Stabilizers:</u> None <u>Reference to other sections:</u> For more information, see sections 8, 11, 12 and 16. <u>SUBSTANCES OF VERY HIGH CONCERN (SVHC):</u> * List updated by ECHA on 12/01/2017. <u>Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:</u> None <u>Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:</u> None <u>PERSISTENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES:</u> Does not contain substances that fulfil the PBT/vPvB criteria.		5 < 10 % Sodium periodate CAS: 7790-28-5 , EC: 232-197-6 CLP: Danger: Ox. Sol. 1:H271 Skin Corr. 1C:H314 Eye Dam. 1:H318 STOT RE 1:H372 Aquatic Acute 1:H400	REACH: 01-2119980983-20	Autoclassified < REACH
	5 < 10 % Sodium periodate CAS: 7790-28-5 , EC: 232-197-6 CLP: Danger: Ox. Sol. 1:H271 Skin Corr. 1C:H314 Eye Dam. 1:H318 STOT RE 1:H372 Aquatic Acute 1:H400	REACH: 01-2119980983-20	Autoclassified < REACH		

SECTION 4 : FIRST AID MEASURES

4.1	<u>DESCRIPTION OF FIRST-AID MEASURES:</u>																
		Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Lifeguards should pay attention to self-protection and use the recommended protective equipment if there is a possibility of exposure. Wear protective gloves when administering first aid.															
	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">Route of exposure</th> <th style="width: 40%;">Symptoms and effects, acute and delayed</th> <th style="width: 40%;">Description of first-aid measures</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;"><u>Inhalation:</u></td> <td style="padding: 5px;">Usually produces no symptoms.</td> <td style="padding: 5px;">Remove the patient out of the contaminated area into the fresh air. If breathing is irregular or stops, administer artificial respiration. If the person is unconscious, place in appropriate recovery position. Keep the patient warm and at rest until medical attention arrives.</td> </tr> <tr> <td style="padding: 5px;"><u>Skin:</u> </td> <td style="padding: 5px;">* Skin contact causes redness and pain.</td> <td style="padding: 5px;">* Remove immediately contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser.</td> </tr> <tr> <td style="padding: 5px;"><u>Eyes:</u> </td> <td style="padding: 5px;">* Contact with the eyes produces redness, pain and serious burns.</td> <td style="padding: 5px;">Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water for at least 15 minutes, holding the eyelids apart, until the irritation is reduced. Call a physician immediately.</td> </tr> <tr> <td style="padding: 5px;"><u>Ingestion:</u></td> <td style="padding: 5px;">If swallowed, may cause irritation of the mouth, throat and oesophagus.</td> <td style="padding: 5px;">* If swallowed, seek immediate medical attention. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest.</td> </tr> </tbody> </table>	Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures	<u>Inhalation:</u>	Usually produces no symptoms.	Remove the patient out of the contaminated area into the fresh air. If breathing is irregular or stops, administer artificial respiration. If the person is unconscious, place in appropriate recovery position. Keep the patient warm and at rest until medical attention arrives.	<u>Skin:</u> 	* Skin contact causes redness and pain.	* Remove immediately contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser.	<u>Eyes:</u> 	* Contact with the eyes produces redness, pain and serious burns.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water for at least 15 minutes, holding the eyelids apart, until the irritation is reduced. Call a physician immediately.	<u>Ingestion:</u>	If swallowed, may cause irritation of the mouth, throat and oesophagus.	* If swallowed, seek immediate medical attention. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest.	
Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures															
<u>Inhalation:</u>	Usually produces no symptoms.	Remove the patient out of the contaminated area into the fresh air. If breathing is irregular or stops, administer artificial respiration. If the person is unconscious, place in appropriate recovery position. Keep the patient warm and at rest until medical attention arrives.															
<u>Skin:</u> 	* Skin contact causes redness and pain.	* Remove immediately contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser.															
<u>Eyes:</u> 	* Contact with the eyes produces redness, pain and serious burns.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water for at least 15 minutes, holding the eyelids apart, until the irritation is reduced. Call a physician immediately.															
<u>Ingestion:</u>	If swallowed, may cause irritation of the mouth, throat and oesophagus.	* If swallowed, seek immediate medical attention. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest.															
4.2	<u>MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:</u> The main symptoms and effects are indicated in sections 4.1 and 11																
4.3	<u>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:</u> <u>Notes to physician:</u> Treatment should be directed at the control of symptoms and the clinical condition of the patient. <u>Antidotes and contraindications:</u> Specific antidote not known.																

	SCREEN STRIP 1.30 Code: 2360SCST20	
--	---------------------------------------	---

SECTION 5 : FIRE-FIGHTING MEASURES

Not combustible.	
5.1	<u>EXTINGUISHING MEDIA:</u> In case of fire in the surroundings, all extinguishing agents are allowed.
5.2	<u>SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:</u> Not applicable.
5.3	<u>ADVICE FOR FIREFIGHTERS:</u> <u>Special protective equipment:</u> Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection for chemical incidents. <u>Other recommendations:</u> Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1	<u>PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:</u> Avoid direct contact with this product.
6.2	<u>ENVIRONMENTAL PRECAUTIONS:</u> Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations.
6.3	<u>METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:</u> # Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc.). Keep the remains in a closed container.
6.4	<u>REFERENCE TO OTHER SECTIONS:</u> For contact information in case of emergency, see section 1. For information on safe handling, see section 7. For exposure controls and personal protection measures, see section 8. For subsequent waste disposal, follow the recommendations in section 13.

SECTION 7 : HANDLING AND STORAGE

7.1	<u>PRECAUTIONS FOR SAFE HANDLING:</u> Comply with the existing legislation on health and safety at work. <u>General recommendations:</u> Avoid any type of leakage or escape. Keep the container tightly closed. <u>Recommendations for the prevention of fire and explosion risks:</u> The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 94/9/EC concerning equipment and protective systems intended for use in potentially explosive atmospheres. Also they are not applicable the provisions of the ITC MIE BT-29 on the detailed requirements for electrical installations in locals with risk of fire or explosion. <u>Recommendations for the prevention of toxicological risks:</u> Do not eat, drink or smoke while handling. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. <u>Recommendations for the prevention of environmental contamination:</u> It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6.
7.2	<u>CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:</u> Forbid the entry to unauthorized persons. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. <u>Class of storage</u> : According to current legislation. <u>Maximum storage period</u> : 24. months <u>Temperature interval</u> : min: 5. °C, max: 35. °C (recommended). <u>Incompatible materials:</u> Not applicable. <u>Type of packaging:</u> According to current legislation. <u>Limit quantity (Seveso III):</u> # Directive 2012/18/EU: # Not applicable.
7.3	<u>SPECIFIC END USES:</u> For the use of this product do not exist particular recommendations apart from that already indicated.



SCREEN STRIP 1.30
Code: 2360SCST20



SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **CONTROL PARAMETERS:**
If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assessing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances.

OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV) AGCIH-2015:
Not established.

BIOLOGICAL LIMIT VALUES:
Not available

DERIVED NO-EFFECT LEVEL (DNEL):
Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances included in REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived by a process different of REACH.

<u>Derived no-effect level, workers:</u> - Systemic effects, acute and chronic: Sodium periodate	<u>DNEL Inhalation</u> mg/m ³ m/r (a) 0.100 (c)	<u>DNEL Cutaneous</u> mg/kg bw/d m/r (a) 0.0600 (c)	<u>DNEL Oral</u> mg/kg bw/d - (a) - (c)
	<u>Derived no-effect level, workers:</u> - Local effects, acute and chronic: Sodium periodate	<u>DNEL Inhalation</u> mg/m ³ m/r (a) 0.300 (c)	<u>DNEL Cutaneous</u> mg/cm ² m/r (a) 0.200 (c)

Derived no-effect level, general population:
Not applicable (product for industrial use).

(a) - Acute, short-term exposure, (c) - Chronic, long-term or repeated exposure.
(-) - DNEL not available (without data of registration REACH).
m/r - DNEL not derived (medium hazard).

PREDICTED NO-EFFECT CONCENTRATION (PNEC):

<u>Predicted no-effect concentration, aquatic organisms:</u> - Fresh water, marine water and intermitent release: Sodium periodate - Wastewater treatment plants (STP) and sediments in fresh- and marine water: Sodium periodate	<u>PNEC Fresh water</u> mg/l 0.000180	<u>PNEC Marine</u> mg/l 0.000018	<u>PNEC Intermittent</u> mg/l 0.00180
	<u>PNEC STP</u> mg/l 2.20	<u>PNEC Sediments</u> mg/kg dry weight 0.000702	<u>PNEC Sediments</u> mg/kg dry weight 0.000070
<u>Predicted no-effect concentration, terrestrial organisms:</u> - Air, soil and effects for predators and humans: Sodium periodate	<u>PNEC Air</u> mg/m ³ s/r	<u>PNEC Soil</u> mg/kg dry weight 0.000035	<u>PNEC Oral</u> mg/kg bw/d n/b

s/r - PNEC not derived (not identified hazard).
n/b - PNEC not derived (not bioaccumulative potential).



SCREEN STRIP 1.30
Code: 2360SCST20



8.2 EXPOSURE CONTROLS:

ENGINEERING MEASURES:



Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these measures are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.

Protection of respiratory system: Avoid the inhalation of product.

Protection of eyes and face: # Install emergency eye baths close to the working area.

Protection of hands and skin: It is recommended to install emergency showers close to the working area. Barrier creams may help to protect the exposed areas of the skin.

OCUPATIONAL EXPOSURE CONTROLS: Directive 89/686/EEC~96/58/EC:

As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding EC marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc.), you should consult the informative brochures provided by the manufacturers of PPE.

Mask:

No.

Safety goggles:



Safety goggles with suitable lateral protection (EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.

Face shield:

Face shield against liquid splashes (EN166), advisable when there is a risk of spillage, diffusion or atomization of the liquid.

Gloves:



Gloves resistant against chemicals (EN374). When repeated or prolonged contact with the product is expected, gloves of protection level 5 or higher should be used, with a breakthrough time of >240 min. When short contact with the product is expected, use gloves with a protection level 2 or higher should be used, with a breakthrough time >30 min. The breakthrough time of the selected glove material should be in accordance with the pretended period of use. There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EN374. Due to the wide variety of circumstances and possibilities, the instructions/specifications provided by the glove supplier should be taken into account. Use the proper technique of removing gloves (without touching glove's outer surface) to avoid contact of the product with the skin. The gloves should be immediately replaced when any sign of degradation is noted.

Boots:

No.

Apron:

No.

Clothing:



Yes.

Thermal hazards:

Not applicable (the product is handled at room temperature).

ENVIRONMENTAL EXPOSURE CONTROLS:

Avoid any spillage in the environment.

Spills on the soil: Prevent contamination of soil.

Spills in water: # Do not allow to escape into drains, sewers or water courses.

- Water Management Act: # This product does not contain any substance included in the list of priority substances in the field of water policy under Directive 2000/60/EC~2013/39/EU.

Emissions to the atmosphere: Not applicable.



SCREEN STRIP 1.30
Code: 2360SCST20



SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:
Appearance
 - Physical state : Liquid.
 - Colour : Colourless.
 - Odour : Characteristic
 - Odour threshold : Not available (mixture).
pH-value
 - pH : 1. at 20°C
Change of state
 - Melting point : Not available
 - Initial boiling point : # > 100* °C at 760 mmHg
Density
 - Vapour density : # < 1 (lighter than air).
 - Relative density : 1.08 at 20/4°C Relative water
Stability
 - Decomposition temperature : Not applicable (thermally stable).
Viscosity:
 - Dynamic viscosity : Not applicable
Volatility:
 - Evaporation rate : Not applicable
 - Vapour pressure : # 17.5* mmHg at 20°C
 - Vapour pressure : # 12.3* kPa at 50°C
Solubility(ies)
 - Solubility in water: : Miscible
 - Liposolubility : Not applicable (inorganic product).
Flammability:
 - Flash point : Not flammable
 - Autoignition temperature : Not applicable (not combustible).
Explosive properties:
 Not available.
Oxidizing properties:
 Not classified as oxidizing product.
 *Estimated values based on the substances composing the mixture.

9.2 OTHER INFORMATION:
 - Solids : # 6.5 % Weight 3 h. 105°C
 The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the corresponding technical data sheet. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12.

SECTION 10 : STABILITY AND REACTIVITY

10.1 REACTIVITY:
Corrosivity to metals: It is not corrosive to metals.
Pyrophorical properties: It is not pyrophoric.

10.2 CHEMICAL STABILITY:
 Stable under recommended storage and handling conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:
 No dangerous reactions are known.

10.4 CONDITIONS TO AVOID:
Light: Avoid direct contact with sunlight.
Air: # The product is not affected by exposure to air, but should not be left the containers open.
Pressure: # Not relevant.
Shock: # The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.

10.5 INCOMPATIBLE MATERIALS:
 Not applicable.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:
 No product of decomposition is dangerous if stored and handled properly.



SCREEN STRIP 1.30
Code: 2360SCST20



SECTION 11 : TOXICOLOGICAL INFORMATION

No experimental toxicological data on the preparation is available. The toxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~1221/2015 (CLP).

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

ACUTE TOXICITY:

Dose and lethal concentrations
for individual ingredients :
Not available

No observed adverse effect level
Not available

Lowest observed adverse effect level
Not available

INFORMATION ON LIKELY ROUTES OF EXPOSURE: Acute toxicity:

Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or delayed
<u>Inhalation:</u> Not classified	ATE > 20000 mg/m ³ -	-	Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).
<u>Skin:</u> Not classified	ATE > 2000 mg/kg	-	Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).
<u>Eyes:</u> Not classified	Not available	-	Not classified as a product with acute toxicity by eye contact (lack of data).
<u>Ingestion:</u> Not classified	ATE > 5000 mg/kg	-	Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).

CORROSION / IRRITATION / SENSITISATION :

Danger class	Target organs	Cat.	Main effects, acute and/or delayed
<u>Respiratory corrosion/irritation:</u> Not classified	-	-	Not classified as a product corrosive or irritant by inhalation (based on available data, the classification criteria are not met).
<u>Skin corrosion/irritation:</u> 	Skin 	Cat.2	# CORROSIVE: Causes severe skin burns.
<u>Serious eye damage/irritation:</u> 	Eyes 	Cat.2	# DAMAGE: Causes serious eye damage.
<u>Respiratory sensitisation:</u> Not classified	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).
<u>Skin sensitisation:</u> Not classified	-	-	Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).

ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed
<u>Aspiration hazard:</u> Not classified	-	-	Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met).

SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

CMR EFFECTS:

Carcinogenic effects: It is not considered as a carcinogenic product.

Genotoxicity: It is not considered as a mutagenic product.

Toxicity for reproduction: Does not harm fertility. Does not harm the unborn child.

Effects via lactation: Not classified as a hazardous product for children breast-fed.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:

Routes of exposure: Not available.

Short-term exposure: Irritating to eyes. Irritating to skin.

Long-term or repeated exposure: Not available.

	SCREEN STRIP 1.30 Code: 2360SCST20	
--	---------------------------------------	---

SECTION 12 : ECOLOGICAL INFORMATION

No experimental ecotoxicological data on the preparation as such is available. The ecotoxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~1221/2015 (CLP).

12.1	<u>TOXICITY:</u>			
	<u>Acute toxicity in aquatic environment</u> for individual ingredients : Sodium periodate	<u>CL50</u> (OECD 203) mg/l.96hours 0.17 Fishes	<u>CE50</u> (OECD 202) mg/l.48hours 0.18 Daphnia	<u>CE50</u> (OECD 201) mg/l.72hours 1.1 Algae
	<u>No observed effect concentration</u> Not available			
	<u>Lowest observed effect concentration</u> Not available			
12.2	<u>PERSISTENCE AND DEGRADABILITY:</u> Not available.			
12.3	<u>BIOACCUMULATIVE POTENTIAL:</u> Not available.			
	<u>Bioaccumulation</u> for individual ingredients : Sodium periodate	<u>logPow</u> -7.18	<u>BCF</u> L/kg 3.2 (calculated)	<u>Potential</u> Not available
12.4	<u>MOBILITY IN SOIL:</u> Not available.			
12.5	<u>RESULTS OF PBT AND VPVB ASSESMENT:</u> Annex XIII of Regulation (EC) no. 1907/2006: # Does not contain substances that fulfil the PBT/vPvB criteria.			
12.6	<u>OTHER ADVERSE EFFECTS:</u> <u>Ozone depletion potential:</u> Not available. <u>Photochemical ozone creation potential:</u> Not available. <u>Earth global warming potential:</u> Not available. <u>Endocrine disrupting potential:</u> Not available.			

SECTION 13 : DISPOSAL CONSIDERATIONS

13.1	<p><u>WASTE TREATMENT METHODS:</u> # Directive 2008/98/EC~Regulation (EU) no. 1357/2014: Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose at an authorised waste collection point. Waste should be handled and disposed in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.</p> <p><u>Disposal of empty containers:</u> # Directive 94/62/EC~2005/20/EC, Decision 2000/532/EC~2014/955/EU: Emptied containers and packaging should be disposed in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of emptying of the same, being the holder of the residue responsible for their classification,)in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself.</p> <p><u>Procedures for neutralising or destroying the product:</u> Authorised landfill in accordance with local regulations.</p>
------	---

	SCREEN STRIP 1.30 Code: 2360SCST20	
---	---------------------------------------	--

SECTION 14 : TRANSPORT INFORMATION

14.1	<u>UN NUMBER:</u>
14.2	<u>UN PROPER SHIPPING NAME:</u>
14.3 14.4	<u>TRANSPORT HAZARD CLASS(ES) AND PACKING GROUP:</u> Transport by road (ADR 2017) and Transport by rail (RID 2017): Not regulated Transport by sea (IMDG 37-14): Not regulated Transport by air (ICAO/IATA 2016): Not regulated Transport by inland waterways (ADN): Free.
14.5	<u>ENVIRONMENTAL HAZARDS:</u> Not applicable (not classified as hazardous for the environment).
14.6	<u>SPECIAL PRECAUTIONS FOR USER:</u> Ensure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers in a vertical and secure position.
14.7	<u>TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:</u> Not applicable.

SECTION 15 : REGULATORY INFORMATION

15.1	<u>EU SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC:</u> The regulations applicable to this product generally are listed throughout this material safety data sheet. <u>Restrictions on manufacture, placing on market and use:</u> See section 1.2 <u>Control of the risks inherent in major accidents (Seveso III):</u> See section 7.2 <u>Tactile warning of danger:</u> Not applicable (product for industrial use). <u>Child safety protection:</u> Not applicable (product for industrial use). <u>OTHER REGULATIONS:</u> Not available
15.2	<u>CHEMICAL SAFETY ASSESSMENT:</u> # A chemical safety assessment has not been carried out for this mixture.



SCREEN STRIP 1.30
Code: 2360SCST20



SECTION 16 : OTHER INFORMATION

16.1 TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3:
Hazard statements according the Regulation (EU) No. 1272/2008~1221/2015 (CLP), Annex III:
 H271 May cause fire or explosion: strong oxidiser. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H372 Causes damage to organs through prolonged or repeated exposure.

ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:
 It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of material safety data sheets and labelling of products as well.

MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:

- European Chemicals Agency: ECHA, <http://echa.europa.eu/>
- Access to European Union Law, <http://eur-lex.europa.eu/>
- European agreement on the international carriage of dangerous goods by road, (ADR 2017).
- International Maritime Dangerous Goods Code IMDG including Amendment 37-14 (IMO, 2014).

ABBREVIATIONS AND ACRONYMS:
 List of abbreviations and acronyms that can be used (but not necessarily used) in this material safety data sheet:

- REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations.
- CLP: European regulation on Classification, Labelling and Packaging of substances and chemical mixtures.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- ELINCS: European List of Notified Chemical Substances.
- CAS: Chemical Abstracts Service (Division of the American Chemical Society).
- UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials).
- SVHC: Substances of Very High Concern.
- PBT: Persistent, bioaccumulable and toxic substances.
- vPvB: Very persistent and very bioaccumulable substances.
- VOC: Volatile Organic Compounds.
- DNEL: Derived No-Effect Level (REACH).
- PNEC: Predicted No-Effect Concentration (REACH).
- LD50: Lethal dose, 50 percent.
- LC50: Lethal concentration, 50 percent.
- UN: United Nations Organisation.
- ADR: European agreement concerning the international carriage of dangerous goods by road.
- RID: Regulations concerning the international transport of dangerous goods by rail.
- IMDG: International Maritime code for Dangerous Goods.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.

MATERIAL SAFETY DATA SHEET REGULATIONS:
Material Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No. 2015/830.

HISTORIC: Revision:
 Version: 13 30/05/2015
 Version: 14 06/06/2017

Changes since previous Material Safety Data Sheet:
Legislative, contextual, numerical, methodological and normative changes since the previous version of the present Material Safety Data Sheet are identified by a red-italic hash (#).

The information of this Material Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users' working conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.