

SAFETY DATA SHEET



BAYFERROX 3920

00005886

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : BAYFERROX 3920
REACH Substance Name : Iron hydroxide oxide yellow
REACH Registration number : 01-2119457554-33-0000

1.2 Relevant identified uses of the substance or mixture and uses advised against

Suitable uses : Colorants (pigments and dyestuffs), inorganic

1.3 Details of the supplier of the safety data sheet

Supplier : LANXESS Deutschland GmbH, Industrial & Environmental Affairs
51369 Leverkusen, Germany, Telephone: +49 214 30 65109
E-mail: infosds@lanxess.com

1.4 Emergency telephone number : 0870 190 6777. National Chemical Emergency Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification : Not classified.

Classification according to Directive 67/548/EEC [DSD]

Classification : Not classified.

2.2 Label elements

Hazard pictograms : Not applicable.
Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.

2.3 Other hazards

Other hazards which do not result in classification : Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 3: Composition/information on ingredients

Product definition (REACH) : Mono-constituent substance
FeO(OH)

Within the present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting in this section, in accordance with EU or national regulations.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Inhalation** : Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention if symptoms occur. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Ingestion** : No special measures required.
- Skin contact** : No special measures required.
- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

See Section 11 for more detailed information on health effects and symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media** : In case of fire, use water spray (fog), foam, dry chemical or CO₂.
- Unsuitable extinguishing media** : None known.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : No specific fire or explosion hazard.
- Hazardous combustion products** : No specific data.

5.3 Advice for firefighters

- Special precautions for fire-fighters** : Not applicable.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures** : No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Avoid breathing dust. Provide adequate ventilation. Put on appropriate personal protective equipment (see Section 8). Hazard of slipping on spilt product.
- 6.2 Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- 6.3 Methods and materials for containment and cleaning up**
- Small spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.
- 6.4 Reference to other sections** : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling** : No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities** : No special measures required.
- 7.3 Specific end use(s)**
- Recommendations** : Not available.
- Industrial sector specific solutions** : Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

<u>Ingredient name</u>	<u>Occupational exposure limits</u>
------------------------	-------------------------------------

<u>Ingredient name</u>	<u>Occupational exposure limits</u>
Iron hydroxide oxide yellow	EH40/2005 WELs (United Kingdom (UK), 8/2007). STEL: 10 mg/m ³ , (as Fe) 15 minute(s). Form: Fume TWA: 5 mg/m ³ , (as Fe) 8 hour(s). Form: Fume

<u>Derived effect levels</u>						
<u>Ingredient name</u>	<u>Type</u>	<u>Exposure</u>	<u>Value</u>	<u>Population</u>	<u>Effects</u>	<u>Remarks</u>
Iron hydroxide oxide yellow	DNEL	Long term Inhalation	10 mg/m ³	Workers	Local	Inhalable Dust
	DNEL	Long term Inhalation	3 mg/m ³	Workers	Local	Respirable dust
Conclusion/Summary		: Not available.				

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

8.2 Exposure controls

Risk management measures

Occupational exposure controls

Technical measures : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protection measures

Respiratory protection : Recommended: Dust-protection mask

Hand protection : Recommended: gloves

Eye protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If operating conditions cause high dust concentrations to be produced, use dust goggles.
Recommended: safety glasses with side-shields

Skin protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Environmental exposure controls

Technical measures : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

Ingredient nameOccupational exposure limits

levels.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**General informationAppearance

Physical state : Solid. [powders]
 Colour : Yellow.
 Odour : Odourless.

Important health, safety and environmental information

pH : 4,5 to 7,5 [Conc. (% w/w): 5%]
 Melting point : >1000°C (>1832°F)
 Vapour pressure :
 Density : 4,1 kg/L (20 °C)
 Solubility : Insoluble in the following materials: cold water
 Decomposition temperature : 180°C

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.
 10.2 Chemical stability : The product is stable.
 10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.
 10.4 Conditions to avoid : From approx. 180 °C conversion into Fe₂O₃.
 10.5 Incompatible materials : No specific data.
 10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**Potential acute health effects

Eye contact : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	Test
BAYFERROX 3920	LD50 Oral	* Rat	>5000 mg/kg	-	-

Iron hydroxide oxide yellow	LC50	-	Rat	>195 g/m ³	6 hours	-
	Inhalation Dusts and mists					
	LC50	-	Rat	>195 mg/m ³	2 weeks	-
	Inhalation Dusts and mists					

*Test results on an analogous product

Irritation/Corrosion

Skin : Non-irritating . Test results on an analogous product .

Eyes : Non-irritating . Test results on an analogous product .

Sensitiser

Product/ingredient name	Route of exposure	Species	Result	Test description
Iron hydroxide oxide yellow	skin	Guinea pig	Not sensitizing	-

Chronic effects : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Test	Result	Species	Exposure
Iron hydroxide oxide yellow	OECD 202 <i>Daphnia</i> sp. Acute Immobilization Test	Acute EC50 >100 mg/l	- Daphnia - Daphnia magna	48 hours
	-	Acute LC0 >100000 mg/L	- Fish - Danio rerio	96 hours

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects

Other adverse effects : Not available.

Remarks : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : Examine possibilities for re-utilisation. Product residues and uncleaned empty containers should be packaged, sealed, labelled, and disposed of or recycled according to relevant national and local regulations. Where large quantities are concerned, consult the supplier. When uncleaned empty containers are passed on, the recipient must be warned of any possible hazard that may be caused by residues. For disposal within the EC, the appropriate code according to the European Waste List (EWL) should be used. It is among the tasks of the polluter to assign the waste to waste codes specific to industrial sectors and processes according to the European Waste List (EWL).

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	-	-	-	-
14.2 UN proper shipping name	-	-	☑	☑
14.3 Transport hazard class(es)/Marks	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	☑ No.	☑ No.	☑ No	☑ No
14.6 Special precautions for user/Additional information	Not regulated.	Not regulated.	Not regulated.	Not regulated.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available.

Hazard notes:

Not dangerous cargo.

Keep separated from foodstuffs.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

15.2 Chemical Safety Assessment : Not applicable.

SECTION 16: Other information

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
DNEL = Derived No Effect Level
EUH statement = CLP-specific Hazard statement
PNEC = Predicted No Effect Concentration
RRN = REACH Registration Number

History

Date of issue : 2012-06-25

Date of previous issue : 2010-03-05

Version : 2

Indicates information that has changed from previously issued version.

Notice to reader

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet and its Annex [if required according to Regulation (EC) 1907/2006 (REACH)] is to describe the products in terms of their safety requirements. The given details do not imply any guarantee concerning the composition, properties or performance.